Best Available Copy

L	Hits	Search Text	71.1	DB	Time stamp
Number					

Search History 2/17/04 1:00:49 PM

Best Available Copy

		10:27
		·
		Ì
		l l
	İ	
Page 2		
y -		
	Page 2	Page 2

		/ / !! 6007700!!			0000/00/00
-	67	(("6097703"		USPAT	2002/10/15
		"4272781"			13:15
		"4538261"			
		"4630314"			
		"4831741"			
	•	"4973970"			
		"5054111"			
		"5278568"			
		"5561837"		1	
		"5604730"			
		"5864543"			i
		"6175555"			
		"6256334"			
		"6355420"			
		"6044074"			
		"6167056"			
		"4336542"			
		"4495587"			
		"6216004"			
		"6216004"			
		"3803604"			
		"4052897"			
		"4356480"			
1		"4423636"			
		"4497019"			
		"4504836"			
		"4573011"			
		"4601201"			
		"4805189"			
		"4867560"			
		"4940990"			
		"5309164"			
		"5448574"			
		"5544196"		İ	
		"5568157"		•	
		"5783835"			
		"5889548"			
		"5940743"			
		"5992436"			
		"6040802"	•		
		"6094562"			
		"6145529"			
		"6157343"			
		"6163696"			
<u> </u>		"6191598"			
		"6198299"			
		"6252865"			
		"6275478"			
		"6339399"			
		"6377066").pn.			
		("5508998"			
["5675088"			
		"6046674"			•
		"6366779"			
		"3803602"			
		"4349882"			
		"4580266"			
		"4628948"			
		"4789948"			
		"4832250"			
		"5193685"			
	1	"5218864"			
	!	"5333220"			
	1	"5511005"			
	1	"5608445"			
	ì		•		
[j	"5642298"			
j		"5740031"			
		"6078255"			
		"6151627"			
		"6172871"			
		"6175553"			
Search Histo	ry 2	/16181682" /1621098300:49 PM	Page 3		
	ľ	"6212175"			
L . \ n n = - \ _] .	1				
C: \APPS\EAST	worksp	ac681993845033.wsp			
•	•	"62109 8 3"			

	224	@ad<19970606 and 370/254,255.ccls.	HCDAT	2002/10/15
-	224	ead(19970606 and 370/254,255.CC18.	USPAT	2002/10/15 14:32
_	2	@ad<19970606 and	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or		11:26
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((probe or test) near3 signal near3		
		(discover\$1 or neighbor or channel))		
-	. 36	•	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or		11:26
		709/242,238,241,231,232,233,234,235.ccls.) and ((probe or test) near3 signal) not		İ
		(@ad<19970606 and		
		(370/254,255,238,256,431,449.ccls. or		
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((probe or test) near3 signal near3		
		(discover\$1 or neighbor or channel)))		1
-	1	5485578.pn.	USPAT	2002/10/16
_	38	@ad<19970606 and	USPAT	10:35
-	36	(370/254,255,238,256,431,449.ccls. or	USPAT	2002/10/16 11:53
		709/242,238,241,231,232,233,234,235.ccls.)		11.55
		and ((probe or test) near3 signal) not		
		(@ad<19970606 and		
		(370/254,255,238,256,431,449.ccls. or		
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((probe or test) and topology near3		
	2	(discover\$1 or determin\$5))) (@ad<19970606 and	USPAT	2002/10/16
	2	(370/254,255,238,256,431,449.ccls. or	USPAI	11:54
		709/242,238,241,231,232,233,234,235.ccls.)		11.54
		and ((probe or test) near3 signal) not		
		(@ad<19970606 and		
		(370/254,255,238,256,431,449.ccls. or		
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((probe or test) and topology near3		
		(discover\$1 or determin\$5)))) not (@ad<19970606 and		
		(370/254,255,238,256,431,449.ccls. or		
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((probe or test) near3 signal) not		
		(@ad<19970606 and		
		(370/254,255,238,256,431,449.ccls. or		
		709/242,238,241,231,232,233,234,235.ccls.)		
		<pre>and ((probe or test) near3 signal near3 (discover\$1 or neighbor or channel))))</pre>		
_	36	@ad<19970606 and	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or	OSIAI	14:55
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((probe or test) near3 signal) not		
		(@ad<19970606 and		
		(370/254,255,238,256,431,449.ccls. or		
		709/242,238,241,231,232,233,234,235.ccls.) and ((probe or test) near3 signal near3		
		(discover\$1 or neighbor or channel)))		
_	0	@ad<19970606 and	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or		14:56
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((ping or poll\$3) near3 (quality)		
		near3 (channel))	*****	2002/10/15
-	0	@ad<19970606 and (370/254,255,238,256,431,449.ccls. or	USPAT	2002/10/16
		709/242,238,241,231,232,233,234,235.ccls.)		14:56
		and ((ping or poll\$3) near3 (quality)		
	1	near3 (link))		
-	0	@ad<19970606 and	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or		15:06
1		709/242,238,241,231,232,233,234,235.ccls.)		
L	Il	and ((link adj quality near3 table))		

-	37		USPAT	2002/10/16
ļ		(370/254,255,238,256,431,449.ccls. or		15:02
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((ping or poll\$3 or probe or test)		
		and (quality) near3 (link or connect\$3 or		
1		channel))	i	
-	2	@ad<19970606 and	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or		15:13
		709/242,238,241,231,232,233,234,235.ccls.)		
1		and ((link adj quality and (probe or		
		test)))		
-	46	@ad<19970606 and	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or		15:23
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((poll\$3 or ping\$3 or test) and		
		((neighbor or topology) near3 (discover\$1		
1		or determin\$5)))		1
_	6	@ad<19970606 and	USPAT	2002/10/16
		(370/254,255,238,256,431,449.ccls. or		15:24
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((poll\$3 or ping\$3 or test) and		
		((neighbor) near3 (discover\$1 or		
		determin\$5)))		
_	38	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or	SSIMI	11:26
		709/242,238,241,231,232,233,234,235.ccls.)		
		and ((probe or test) near3 signal) not		
		(@ad<19970606 and		
		(370/254,255,238,256,431,449.ccls. or		
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (transmit near3 (link or table or		
		channel or connection) near3 quality))		
	2	Gad<19970606 and	USPAT	2002/10/17
-		(370/254,255,238,256,431,449.ccls. or	USPAT	11:30
				11:30
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (transmit near3 (link or table or		
	0	channel or connection) near3 quality)	II C D D M	2002/10/17
-	0	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or		11:31
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (rout\$3 adj table near3 (link near2		
		quality))		0000 (10 (17
-	0	@ad<19970606 and	USPAT	2002/10/17
1		(370/254,255,238,256,431,449.ccls. or		11:31
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (rout\$3 adj table near3 (quality))		2002/10/27
_	0	@ad<19970606 and	USPAT	2002/10/17
	1	(370/254,255,238,256,431,449.ccls. or		11:31
		709/242,238,241,231,232,233,234,235.ccls.)		
	10	and (rout\$3 near3 table near3 (quality))		0000 (10 (17
-	19	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or		13:34
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (rout\$3 near3 (quality))		0000 / 50 / 5
-	119	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or		13:45
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (multiple near3 (channel or link))		
-	149	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or		13:45
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (multiple near3 (channels or links))		
-	1	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or		13:46
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (multiple near3 (channels or links)		
<u></u>		near3 select\$3)	<u></u>	

-	1	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or		13:48
		709/242,238,241,231,232,233,234,235.ccls.)		
		and (multiple near3 (channels or links)		
		near3 (best or optim\$3))		
-	8	@ad<19970606 and	USPAT	2002/10/17
		(370/254,255,238,256,431,449.ccls. or		13:48
		709/242,238,241,231,232,233,234,235.ccls.)		; !
		and (multiple near3 (channels or links)		
		near3 (power or bandwidth or capacity))		
-	1	@ad<19970606 and (topology near3	USPAT	2003/06/05
		discover\$3) and (probe with broadcast)		13:25
_	74	@ad<19970606 and (probe with broadcast)	USPAT	2003/06/05
		_		13:25
-	6	<pre>@ad<19970606 and (network near3 topology)</pre>	USPAT	2003/06/05
*		and (probe with broadcast)		14:17
_	1	<pre>@ad<19970606 and (network near3 topology)</pre>	USPAT	2003/06/05
		and (power near3 cumulati\$2)		14:18
-	7975	@ad<19970606 and (709/\$3.ccls.) (network	USPAT	2003/06/05
		near3 hop near3 power)		14:19
-	0	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(network near3 hop near3 power)		14:19
-	3	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(network) same (power near3 probe)		14:20
	0	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		((network) same (cumulative near3 power))		14:20
-	0	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		((probe) same (cumulative near3 power))		14:21
_	0	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(cumulative near3 power)		14:21
_	225	@ad<19970606 and (709/\$3.ccls.) and (test	USPAT	2003/06/05
		same (power))		14:22
_	15	@ad<19970606 and (709/\$3.ccls.) and (path	USPAT	2003/06/05
		same test same (power))		14:23
_	0	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(power near3 gradient)		14:24
_	0	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
	•	(power near3 test near3 probe)		14:24
_	5	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(communication near3 link near3 power)	·	14:25
-	0	@ad<19970606 and (709/\$3.ccls.) and (link	USPAT	2003/06/05
		near3 power near3 determination)		14:26
-	0	@ad<19970606 and (709/\$3.ccls.) and (link	USPAT	2003/06/05
		near3 power near3 usage)		14:44
-	2	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(probe near3 threshold)		14:44
-	14	@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(topology adj discovery)		15:14
-	567894	(@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(topology adj discovery)) and probe or	·	14:45
		test		
-	4	(@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(topology adj discovery)) and (probe or		14:46
		test)		
-	2	((@ad<19970606 and (709/\$3.ccls.) and	USPAT	2003/06/05
		(topology adj discovery)) and (probe or	·	14:46
		test)) and (threshold)		
-	25	@ad<19970606 and ((path near3 select\$3)	USPAT	2003/06/05
		same (data adj rate))	·	16:57
-	2	@ad<19970606 and (network and ((route	USPAT	2003/06/05
		near3 select\$3) same (data adj rate)))		15:34
<u> </u>	1	4905233.pn.	USPAT	2003/06/05
	_	• • • • •		15:34
-	2	@ad<19970606 and (network near3 software	USPAT	2003/06/05
	_	near3 update near3 distribut\$3)		16:58
-	0	@ad<19970606 and ((topology near3	USPAT	2004/02/17
1	-	(discovery or determin\$5)) same (probe		11:00
		near3 (packet or signal)))		
-	0	@ad<19970606 and ((topology near3	USPAT	2004/02/17
		(discovery or determin\$5)) same (probe	-	11:01
		near3 (packet or signal)))	İ	
				L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Search History 2/17/04 1:00:49 PM Page 6

-	4 @ad<19970606 and ((topology near3	USPAT	2004/02/17	\neg
	(discovery or determin\$5)) and (probe	İ	11:01	ļ
	<pre>near3 (packet or signal)))</pre>			ı